# MATERIAL SAFETY DATA SHEET acc to USA OSHA 29CFR1910.1200



*Page 1/5* 

Printing date 06/22/2006 Reviewed on 01/29/2003

# 1 Identification of substance

• Product details

Article number: 130014 - Sublimation Ink - Black Intended use: Ink-jet ink for transfer printing

Supplier:

Westar Systems LLC 1210 W High Point lane Colorado Springs, CO 80904 719-260-9777

Information department: Richard Brenner/Section Safety & Environment

2 Composition/Data on components		
• Hazardous components per USA OSHA 29CFR1910.1200:		
56-81-5	glycerol	10-25%
12217-80-0	4,11-diamino-2-(3-methoxypropyl)-1H-naphth[2,3-f]isoindol-1,3,5,10(2H)-tetrone	2.5-5%

## 3 Hazards identification

- Hazard description: Irritant
- Information pertaining to particular dangers for man and environment: The product is considered an eye irritant per OSHA.
- Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

• NFPA ratings (scale 0 - 4)



(Contd. on page 2)

#### • HMIS-ratings (scale 0 - 4)



1 Health = 1

Fire = 1

Reactivity = 0

 $Personal\ Protective\ Equipment=C$ 

## 4 First aid measures

## • General information:

No special measures required.

In all cases of doubt, when symptoms persist, seek medical attention. Never give anything by mouth to an inconscious person.

#### • After inhalation:

No adverse effect anticipated by this route of exposure. If symptoms show up, remove to fresh air.

#### • After skin contact:

Do not use solvents or thinners.

Remove contaminated clothing.

Immediately wash with water and soap and rinse thoroughly.

#### • After eye contact:

Flush eyes thoroughly with water for 15 minutes. Seek medical attention if irritation persists.

#### • After swallowing:

Keep at rest.

Do not induce vomiting; immediately call for medical help.

## 5 Fire fighting measures

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Unsuitable extinguishing agents: Water with full jet
- Special hazards caused by the material, its products of combustion or resulting gases:

Formation of toxic gases is possible during heating or in case of fire.

- Protective equipment: Mount respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Cool endangered receptacles with water spray.

## 6 Accidental release measures

- Person-related safety precautions: Ensure adequate ventilation
- Measures for environmental protection:

Do not allow to enter sewers/surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

#### • Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, sawdust).

Send for recovery or disposal in suitable containers.

Dispose contaminated material as waste according to item 13.

Avoid use of solvents.

## 7 Handling and storage

- Handling:
  - Information for safe handling: No special measures required.
  - Information about protection against explosions and fires: No special measures required.
- Storage:
  - Requirements to be met by storerooms and containers:

Ideal storage temperature: 50 - 90°F.

(Contd. on page 3)

Store in a cool location.

Use only containers specifically designed for this product.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

## 8 Exposure controls and personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### • Components with limit values that require monitoring at the workplace:

## 56-81-5 glycerol

PEL 15\*; 5\*\* mg/m<sup>3</sup>

\*Total dust \*\*Respirable fraction

- Personal protective equipment:
  - General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

• Eye protection:



Safety glasses

• Body protection: Protective work clothing

## 9 Physical and chemical properties

• General Information

Physical form: LiquidColor: BlackOdor: Weak

· Change in condition

• Melting point/Melting range: Not applicable

• Boiling point/Boiling range: 100°C (212°F)

• Flash point: > 100°C (> 212°F)

• Ignition temperature: > 400°C (> 752°F)

• Danger of explosion: Product does not present an explosion hazard.

• Explosion limits:

• Lower: Not applicable
• Upper: Not applicable

• Density at 20°C (68°F): 1.1 g/cm<sup>3</sup>

· Solubility in / Miscibility with

• Water: Miscible

• pH-value at 20°C (68°F): 8.5

(Contd. on page 4)

- Viscosity:
  - Viscosity at 20°C (68°F): 4 mPas

## 10 Stability and reactivity

• Thermal decomposition / conditions to be avoided:

Stable under recommended storage and handling conditions.

- Materials to be avoided: Strong oxidizers.
- Dangerous reactions No dangerous reactions known if used according to specifications.
- Dangerous products of decomposition:

In case of fire, carbon and nitrogen oxides are the main combustion gases.

## 11 Toxicological information

• General notes:

There is no experimentally determined data available on the preparation itself. The product is considered to be an eye irritant.

## 12 Ecological information

• General notes:

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

# 13 Disposal considerations

- Product:
  - Recommendation: Waste material must be disposed of in accordance with local regulations.
- Uncleaned packagings:
  - Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

## 14 Transport information

- DOT regulations:
  - Hazard class:
- Land transport ADR/RID (cross-border):
  - ADR/RID class:
- Maritime transport IMDG:
  - IMDG Class:
  - Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR:
  - ICAO/IATA Class: -

## 15 Regulations

• SARA

• Section 355 (Extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 5)

#### • Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

#### • TSCA (Toxic Substances Control Act):

All components are included in the TSCA inventory and/or comply with TSCA regulations.

#### • California Proposition 65

#### • Chemicals known to cause cancer:

None of the ingredients are listed.

## • Chemicals known to cause reproductive toxicity:

None of the ingredients are listed.

#### • Carcinogenicity categories

## • OSHA (Occupational Safety & Health Administration)

The product do not contain any carcinogenic substances according to OSHA criterias.

#### • Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product is considered to be an eye irritant.

The product has been classified and marked in accordance with national laws.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • Relevant R-phrases

22 Harmful if swallowed.

- USA